

IN THE CLAIMS:

The following listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A system, comprising:
 - a processor;
 - a display coupled to the processor;
 - a host controller coupled to the processor;
 - a card reader coupled to the host controller; andwherein an icon is displayed on the display specific to an interface of a type of memory card inserted into the card reader, and wherein the card reader reports the interface of the memory card inserted into the card reader.
2. (Currently Amended) The system of claim 1, wherein the card reader is electrically connected to the host controller when ~~[[a]]~~ the memory card is inserted into the card reader.
3. (Currently Amended) The system of claim 1, wherein the card reader is electrically disconnected from the host controller when ~~[[a]]~~ the memory card is removed from the card reader.
4. (Currently Amended) The system of claim 1, wherein the card reader reports a device identification specific to the ~~type~~ interface of the memory card inserted into the card reader.
5. (Original) The system of claim 4, further comprising a registry preloaded with an icon specific to the device identification reported.

6. (Currently Amended) The system of claim 4, wherein ~~[[a]]~~ the card reader is operable to report at least two different device identifications specific to at least two different interfaces ~~types~~ of memory cards.

7. (Currently Amended) The system of claim 6, wherein at least two different icons are displayable on the display specific to the at least two different interfaces of memory cards ~~types~~.

8. (Currently Amended) The system of claim 1, wherein the interface of the memory card comprises one of a SmartMedia™ (SM) memory card interface, xD Picture Cards™ (xD) interface, a Memory Stick™ interface, a High Speed Memory Stick (HSMS) interface, a Memory Stick PRO™ (MSPRO) interface, a Secure Digital (SD) memory card interface, a MultiMediaMemory™ memory card (MMC) interface, NAND Flash interface, Compact Flash™ (CF) interface, or a CF form-factor Advanced Technology Attachment (ATA) hard drive interface.

9. (Currently Amended) The system of claim 1, wherein text indicative of the interface of the memory card ~~[[type]]~~ is displayed proximate to the icon.

10. (Original) The system of claim 1, wherein the card reader is a single slot card reader.

11. (Currently Amended) A method, comprising:

electrically connecting a card reader to a host controller when a memory card is inserted into the card reader;

reporting a device identification, to the host controller, specific to ~~the type of~~ an interface of the memory card inserted into the card reader; and

displaying an icon on a display coupled to the host controller, wherein the icon is specific to the device identification reported.

12. (Original) The method of claim 11, further comprising electrically disconnecting the card reader if the memory card is removed.

13. (Original) The method of claim 12, further comprising removing an icon from the display when the card reader is electrically disconnected.

14. (Original) The method of claim 12, further comprising displaying an empty card reader icon on the display.

15. (Original) The method of claim 11, further comprising receiving an icon indication for display from a registry coupled to the processor.

16. (Currently Amended) The method of claim 15, wherein the registry has at least two icon types preloaded, wherein each of the at least two icons is specific to a different [[type]] interface of the memory card.

17. (Currently Amended) The system of claim 1, wherein the interface of the memory card comprises one of a SmartMedia™ (SM) memory card interface, xD Picture Cards™ (xD) interface, a Memory Stick™ interface, a High Speed Memory Stick (HSMS) interface, a Memory Stick PRO™ (MSPRO) interface, a Secure Digital (SD) memory card interface, a MultiMediaMemory™ memory card (MMC) interface, NAND Flash interface, Compact Flash™ (CF) interface, or a CF form-factor Advanced Technology Attachment (ATA) hard drive interface.

18. (Original) The method of claim 11, wherein the card reader is a single slot card reader.

19. (Original) The method of claim 11, wherein the icon is displayed in a menu of available storage media accessible by the processor.

20. (Currently Amended) The method of claim 11, further comprising displaying text indicative of the interface of the memory card [[type]] relative to the icon.

21. (Currently Amended) The method of claim 11, further comprising reporting a device identification when the memory card is inserted into the card reader without having to reconnect the card reader.

22. (Currently Amended) A computer-accessible memory carrier medium comprising program instructions, wherein the program instructions are executable by a processor to:

electrically connect a card reader to a host controller when a memory card is inserted into the card reader, wherein the memory card has a format;

receive a device identification, from the host controller, specific to the [[type]] format of the memory card inserted into the card reader; and

display an icon on a display, wherein the icon is specific to the device identification reported.

23. (Currently Amended) The computer-accessible memory carrier medium of claim 22, wherein the program instructions are further executable to electrically disconnect the card reader if the memory card is removed.

24. (Currently Amended) The computer-accessible memory carrier medium of claim 22, wherein the program instructions are further executable to receive an icon indication for display from a registry of an operating system for a processor coupled to the host controller.

25. (Currently Amended) The computer-accessible memory carrier medium of claim 22, wherein the registry has at least two icon types preloaded, wherein each of the at least two icons is specific to a different [[type]] format of the memory card.

26. (Currently Amended) The computer-accessible memory carrier medium of claim 22, wherein the icon is displayed in a menu of available storage media accessible by the processor.

27. (Currently Amended) The computer-accessible memory ~~earlier~~ medium of claim 22, wherein the program instructions are further executable to report a device identification when the memory card is inserted into the card reader without having to reconnect the card reader.